


RKL 6 4x40 E27 | Art. No. 880440.000.001.6.00



PMMA  
650°C

IK02

HB



Surface-mounted luminaire for (LED) luminaire with E27 base. Round design with opal cover. Suitable for ceiling and wall mounting. Housing made of profiled, white lacquered steel. Domed, textured cover made of UV-resistant polymethyl methacrylate (PMMA). Also available with high-impact cover made of polycarbonate (PC). The cover is securely attached using spring clips. 3-pin push-fit connector with plug-in contact, loop-through possible. 2 cable entries. Approved for indoor use.

**Type of installation and area of application**

Ceiling mounting, wall mounting, for mounting directly on the ceiling or wall  
Approved for indoor use only

- Basic lighting

**Technical specifications**


Art. No.	880440.000.001.6.00
Article name	RKL 6 4x40 E27
Light source	A60
Socket / base	E27
Number of light sources	4
Power, illuminant (max.)	40 W
Dimmable	not dimmable
Mains voltage	230V/50Hz
Voltage type	AC
Luminaire efficiency	80 %
Light optics	Diffuser made of UV-resistant polymethyl methacrylate (PMMA)
Light distribution	Extensive
Beam angle	120°
Connection type	3-pin push-fit connector with plug-in contact
Housing	Steel housing, white
Cable entry (position)	rear
Ambient operating temperature – max.	25 °C
<b>Testing</b>	
Protection class	SC I
Protection grade	IP40
Shock resistance	IK02
Flammability (UL94)	HB

RKL 6 4x40 E27 | Art. No. 880440.000.001.6.00

Testing	
Glow-wire resistance	PMMA 650°C
CE-compliant	Yes
Mass and weight	
Diameter	600 mm
Height (H)	165 mm
Gross weight (including packaging)	4,6 Kg
Net weight	3,8 Kg
Contents / packaging quantity	1 Piece

RKL 6 4x40 E27 | Art. No. 880440.000.001.6.00

## Accessories (optional)



Art. No.	Article name
36055255	Deco-ring RKL 6 white

Art. No.	Article name
36055258	Deco-ring RKL 6 silver

Art. No.	Article name
36055261	Deco-ring RKL 6 blue